



Fountain Layout

General Notes

THIS DRAWING IS SUBJECT TO THE PROJECT ARCHITECT'S AND/OR THE PROJECT ENGINEER'S APPROVAL.

INSTALLATION OF ALL EQUIPMENT IS TO BE BY OTHERS.

LOCAL BUILDING CODES VARY FROM MUNICIPALITY TO MUNICIPALITY AND OVERRIDE NATIONAL CODES. COMPLIANCE WITH LOCAL CODES MUST BE INDEPENDANTLY VERIFIED BY OWNER'S ARCHITECT AND/OR ENGINEER. ANY DEVIATION FROM LOCAL CODES MUST BE BROUGHT TO THE ATTENTION OF HALL FOUNTAINS, INC. IMMEDIATLY.

ALL DIMENSIONS SHOWN ARE TO THE FINISHED POOL SURFACE AND CENTER OF PIPE OR FIXTURE, UNLESS OTHERWISE INDICATED.

ALL IN-POOL ELECTRICAL EQUIPMENT ON A CURRENT OVER 15 VOLTS MUST BE ON CLASS "A" GROUND FAULT CIRCUIT INTERRUPTER (G.F.C.I.) PER ARTICLE 680 OF THE NATIONAL ELECTRIC CODE.

CONFIRM ALL MOTOR VOLTAGES FOR COMPATABILITY BEFORE INSTALLATION.

WARNING!
ELECTRICAL SHOCK HAZARD

HALL FOUNTAINS, INC. STRIVES TO MANUFACTURE FOUNTAIN EQUIPMENT OF THE HIGHEST QUALITY POSSIBLE, BUT IS STILL CONCERNED WITH THE FACT THAT WATER AND ELECTRICITY CAN CONSTITUTE A POTENTIAL ELECTRICAL SHOCK HAZARD. FOUNTAIN ELECTRICAL EQUIPMENT MUST BE INSTALLED AND SERVICED BY QUALIFIED, KNOWLEDGEABLE PEOPLE WITH THE UTMOST OF CARE AND IN STRICT ACCORDANCE WITH ARTICLE 680 OF THE NATIONAL ELECTRICAL CODE AND ANY OVERRIDING STATE AND/OR LOCAL CODES THAT MAY APPLY.



Model BF84

Bowl Fountain

5500 N.W.22 AVE, FT. LAUDERDALE, FL 33309

PHONE: 1-800-777-4255 * 1-305-484-8530